

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|---|---|------------------|---------|---------------------|
| S1 | 143785 | (KEY AND GENERATION) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/20 12:28 |
| S2 | 0 | S1 AND (CHIP ADJ IDENTIFIER) WITH INPUT | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/20 12:28 |
| S3 | 78 | S1 AND (CHIP ADJ IDENTIFIER) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/20 12:28 |
| S4 | 2 | S3 AND (CHIP ADJ IDENTIFIER) SAME INPUT | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/20 12:29 |
| S5 | 143785 | (KEY AND GENERATION) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/20 13:23 |
| S6 | 78 | S5 AND (CHIP ADJ IDENTIFIER) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/19 09:57 |
| S7 | 706 | (INTERGRATED ADJ CIRCUIT) AND CHIP | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/19 09:57 |
| S8 | 1622 | (INTERGRATED ADJ CIRCUIT) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/19 09:57 |

| | | | | | | |
|-----|-------|--|---|----|----|---------------------|
| S9 | 1622 | S7 S8 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/19 10:14 |
| S10 | 2 | "5743819".PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/19 10:00 |
| S11 | 2 | "5734819".PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/19 10:00 |
| S12 | 55 | ("4264782" "4424573" "4442486" "4454594" "4462076" "4634807" "4652990" "4670857" "4688169" "4731748" "4751667" "4866769" "4903299" "4933969" "5068894" "5075805" "5113518" "5182770" "5199066" "5276738" "5282247" "5287408" "5337357" "5343524" "5379433" "5386468" "5388212" "5392356" "5402492" "5416840" "5481672" "5483658" "5530753" "5546463"). PN. OR ("5734819"). URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2006/08/19 10:06 |
| S13 | 30116 | SMART ADJ CARD | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/19 10:14 |
| S14 | 5 | S12 AND S13 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/19 10:15 |

| | | | | | | |
|-----|--------|---|---|----|----|---------------------|
| S15 | 30166 | S12 S13 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/19 10:15 |
| S16 | 973603 | (SECRET ADJ (QUANTITIES OR VALUES OR KEYS)) OR KEYS | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/19 10:16 |
| S17 | 14531 | S15 AND S16 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/19 16:23 |
| S18 | 155 | EXTRACT WITH (NON- VOLATILE ADJ MEMORY) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/19 10:24 |
| S19 | 3 | (SCRAMBLE WITH WORDS) SAME (PARAMETER ADJ NETWORK) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/19 10:23 |
| S20 | 0 | (GENERATE ADJ IDENTIFIER) AND (MEASURE WITH (ELECTRIC ADJ PARAMETER)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/19 10:21 |
| S21 | 0 | (GENERATE ADJ IDENTIFIER) AND (MEASURE AND (ELECTRIC ADJ PARAMETER)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/19 10:21 |
| S22 | 746 | (GENERATE ADJ IDENTIFIER) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/19 10:21 |

| | | | | | | |
|-----|------|---|---|-----|----|---------------------|
| S23 | 738 | (MEASURE AND (ELECTRIC ADJ PARAMETER)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/19 10:21 |
| S24 | 0 | S22 S23 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/08/19 10:21 |
| S25 | 1484 | S22 S23 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/19 10:21 |
| S26 | 0 | S18 S19 S23 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/08/19 10:21 |
| S27 | 0 | S18 S19 S25 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/08/19 10:21 |
| S28 | 1 | S18 S25 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/08/19 15:25 |
| S29 | 155 | EXTRACT WITH (NON- VOLATILE ADJ MEMORY) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/19 15:25 |
| S30 | 3 | (SCRAMBLE WITH WORDS) SAME (PARAMETER ADJ NETWORK) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/19 15:25 |

| | | | | | | |
|-----|--------|--|---|-----|----|---------------------|
| S31 | 0 | S29 S30 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/08/19 15:25 |
| S32 | 55 | ("4264782" "4424573" "4442486" "4454594" "4462076" "4634807" "4652990" "4670857" "4688169" "4731748" "4751667" "4866769" "4903299" "4933969" "5068894" "5075805" "5113518" "5182770" "5199066" "5276738" "5282247" "5287408" "5337357" "5343524" "5379433" "5386468" "5388212" "5392356" "5402492" "5416840" "5481672" "5483658" "5530753" "5546463"). PN. OR ("5734819"). URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2006/08/19 16:24 |
| S33 | 30116 | SMART ADJ CARD | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/19 16:24 |
| S34 | 30166 | S32 S33 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/19 16:24 |
| S35 | 973603 | (SECRET ADJ (QUANTITIES OR VALUES OR KEYS)) OR KEYS | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/19 16:24 |
| S36 | 14531 | S34 AND S35 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/19 16:24 |

| | | | | | | |
|-----|-------|---|---|-----|----|---------------------|
| S37 | 746 | (GENERATE ADJ IDENTIFIER) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/19 16:24 |
| S38 | 738 | (MEASURE AND (ELECTRIC ADJ PARAMETER)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/19 16:24 |
| S39 | 0 | S36 S37 S38 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/08/19 16:24 |
| S40 | 26 | S35 S36 S37 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/08/19 16:25 |
| S41 | 26 | S33 S40 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/08/19 16:27 |
| S42 | 1993 | CIRCUIT ADJ IDENTIFICATION | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/08/19 16:27 |
| S43 | 23846 | (EXECUTE OR RUN OR ACCESS) ADJ APPLICATIONS1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/08/19 16:28 |
| S44 | 82765 | (EXECUTE OR RUN OR ACCESS) ADJ (APPLICATIONS1 OR PROGRAMS1 OR SOFTWARE) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/08/19 16:28 |

| | | | | | | |
|-----|--------|---|---|-----|----|---------------------|
| S45 | 101 | S42 S44 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/08/19 16:29 |
| S46 | 84657 | S42 OR S44 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/08/19 16:29 |
| S47 | 973695 | KEYS OR (SECRET ADJ (VALUES1 OR QUANTIT \$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/08/19 16:29 |
| S48 | 32153 | S46 S47 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/08/19 16:31 |
| S49 | 53845 | NETWORK ADJ (NODE OR PARAMETER OR RESOURCE) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/08/19 16:32 |
| S50 | 3327 | S48 S49 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/08/19 16:35 |
| S51 | 0 | (EXTRACT\$2 WITH (NON ADJ VOLATILE) ADJ MEMORY) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/08/19 16:33 |
| S52 | 326 | (EXTRACT\$2 WITH (NON ADJ VOLATILE) ADJ MEMORY) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/08/19 16:33 |

| | | | | | | |
|-----|-------|---|---|-----|----|---------------------|
| S53 | 326 | ((EXTRACT\$2 WITH (NON ADJ VOLATILE) ADJ MEMORY) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/08/19 16:33 |
| S54 | 26 | S50 S53 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/08/19 16:33 |
| S55 | 39463 | GENERATE WITH ((SECRET ADJ VALUE) OR KEY) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/08/19 16:36 |
| S56 | 491 | S50 S55 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/08/19 16:36 |
| S57 | 20 | DIGITAL ADJ WORD ADJ COMBINATION | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/08/19 16:37 |
| S58 | 0 | S56 S57 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/08/19 16:37 |
| S59 | 34 | DIGITAL ADJ (WORD OR TEXT OR BIT OR BYTE) ADJ COMBINATION | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/08/19 16:37 |
| S60 | 0 | S56 S59 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/08/19 16:38 |

| | | | | | | |
|-----|--------|---|---|-----|----|---------------------|
| S61 | 210 | S56 COMBINE | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/08/19 16:38 |
| S62 | 381 | S56 (COMBINE OR APPEND OR ADD OR JOIN) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/08/19 16:39 |
| S63 | 1 | S62 (SHIFT ADJ REGISTER) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/08/19 16:39 |
| S64 | 2 | "5734819".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/19 16:52 |
| S65 | 223 | (SMART ADJ CARD) (((ACCESS OR IDENTIFICATION OR ID) ADJ (CODE OR PIN OR KEY)) OR (CARD ADJ (KEY OR PIN OR CODE))) WITH (GENERATION) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/02/11 13:26 |
| S66 | 348070 | (GENERAT\$3 WITH (KEY OR CODE OR PIN)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/02/11 13:29 |
| S67 | 223 | S65 (GENERAT\$3 WITH (KEY OR CODE OR PIN)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/02/11 13:29 |
| S68 | 212 | S65 (GENERAT\$3 NEAR3 (KEY OR CODE OR PIN)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/02/11 13:30 |

| | | | | | | |
|-----|-------|---|---|-----|----|---------------------|
| S69 | 59 | S68 (SHIFT ADJ REGISTER) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/02/11 13:30 |
| S70 | 0 | S69 (DIGITAL ADJ WORD) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/02/11 13:31 |
| S71 | 0 | S68 (DIGITAL ADJ WORD) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/02/11 13:31 |
| S72 | 0 | S67 (DIGITAL ADJ WORD) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/02/11 13:31 |
| S73 | 2 | "5734819".PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/11 13:53 |
| S74 | 27335 | (INTEGRATED ADJ CIRCUIT) ((FIRST AND SECOND) WITH STORAGE) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/03 08:27 |
| S75 | 3451 | (INTEGRATED ADJ CIRCUIT) ((FIRST AND SECOND) ADJ STORAGE) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/03 08:28 |
| S76 | 97 | S75 ((STORAGE OR REWRITS3 OR MEMORY OR DOWNLOAD) ADJ PROGRAM) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/03 08:30 |

| | | | | | | |
|-----|------|---|---|-----|----|---------------------|
| S77 | 43 | S76 ((COMPAR\$3 WITH (CODE OR PROGRAM OR DATA)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/03 08:31 |
| S78 | 1 | S76 ((VALIDATE OR VERIFY) ADJ PROGRAM) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/03 08:33 |
| S79 | 3 | S76 ((VALIDATE OR VERIFY) ADJ PROGRAM) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/03 08:34 |
| S80 | 3 | S76 ((VALIDATE OR VERIFY) ADJ PROGRAM) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/03 08:34 |
| S81 | 7758 | 726/26.CCLS. OR 726/34.CCLS. OR 713/189 OR 713/300.CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/02 20:38 |
| S82 | 7758 | 726/26.CCLS. OR 726/34.CCLS. OR 713/189 OR 713/300.CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/02 20:38 |
| S83 | 0 | S82 ((PROGRAM OR APPLICATION OR CODE) WITH (REWRITE\$3 OR SAVED OR TRANSFER\$3 OF MOVED OR COPY\$3) WITH (((EXTERNALLY ADJ READABLE) OR PUBLIC OR OPEN OR VISIBLE) AND (((EXTERNALLY ADJ NONREADABLE) OR PRIVATE OR CLOSED OR HIDDEN) ADJ STORAGE)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/02 20:48 |

| | | | | | | |
|-----|----|---|---|-----|----|---------------------|
| S84 | 0 | ((PROGRAM OR APPLICATION OR CODE) WITH ((REWRI\$3 OR SAVED OR TRANSFER\$3 OF MOVED OR COP\$3) WITH (((EXTERNALLY ADJ READABLE) OR PUBLIC OR OPEN OR VISIBLE) AND ((EXTERNALLY ADJ NONREADABLE) OR PRIVATE OR CLOSED OR HIDDEN) ADJ STORAGE)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/02 20:49 |
| S85 | 11 | ((PROGRAM OR APPLICATION OR CODE) WITH ((REWRI\$3 OR SAVED OR TRANSFER\$3 OF MOVED OR COP\$3) WITH (((EXTERNALLY ADJ READABLE) OR PUBLIC OR OPEN OR VISIBLE) AND ((EXTERNALLY ADJ NONREADABLE) OR PRIVATE OR CLOSED OR HIDDEN) WITH STORAGE)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/02 20:53 |
| S86 | 0 | CIRCUIT WITH ((PUBLIC AND PRIVATE) ADJ MEMORY) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/02 21:25 |
| S87 | 1 | CIRCUIT WITH ((PUBLIC AND PRIVATE) ADJ STORAGE) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/02 21:27 |
| S88 | 0 | SEMI CONDUCTOR WITH ((PUBLIC AND PRIVATE) ADJ STORAGE) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/02 21:27 |
| S89 | 72 | MEMORY ((PUBLIC AND PRIVATE) ADJ STORAGE) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/02 21:28 |

| | | | | | | |
|-----|-----|--|---|-----|----|---------------------|
| S90 | 17 | MEMORY WITH ((PUBLIC AND PRIVATE) ADJ STORAGE) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/02 21:29 |
| S91 | 5 | S89 (COPY OR MOVE OR TRANSFER OR WRITE) WITH PROGRAM AND ((FIRST AND SECOND) ADJ STORAGE) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/02 21:30 |
| S92 | 0 | S89 ((COPY OR MOVE OR TRANSFER OR WRITE) WITH (PROGRAM WITH ((FIRST AND SECOND) ADJ STORAGE))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/02 21:33 |
| S93 | 208 | CIRCUIT WITH ((MEMORY OR STORAGE) WITH (PUBLIC AND PRIVATE) OR (READABLE AND (NONREADABLE OR UNREADABLE))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/02 21:37 |
| S94 | 54 | S93 (STORE WITH (PROGRAM OR CODE OR APPLICATION)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/02 21:39 |
| S95 | 30 | S94 (STORE\$3 WITH PORTION) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/02 21:40 |
| S96 | 18 | S95 ((ADDRESS OR BITS) (ENCRYPT\$2 OR DECRYPT \$2)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/02 21:42 |

7/7/2008 8:12:58 AM

C:\Documents and Settings\cokoronkwo\My Documents\EAST\Workspaces\10517258
\10517258[2].wsp